Safety Data Sheet

Issue Date: 11-Nov-2015 Revision Date: 13-Nov-2015 Version 1

1. IDENTIFICATION

Product Identifier

Product Name Single Electrode Cell - Anode Only

Other means of identification

SDS # NT-016
Synonyms SECA.

Recommended use of the chemical and restrictions on use Recommended Use Solid Oxide Fuel Cells.

Details of the supplier of the safety data sheet

Supplier Address Nexceris, LLC 404 Enterprise Dr. Lewis Center, OH 43035 www.nexceris.com

Emergency Telephone Number

Company Phone Number Non-emergency calls/questions: 1-614-842-6606

Fax: 1-614-842-6607

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance According to product

specification

Physical State Solid

Classification

Acute toxicity - Inhalation (Vapors)	Category 4
Skin sensitization	Category 1
Carcinogenicity	Category 1A
Specific target organ toxicity (repeated exposure)	Category 1

Hazards Not Otherwise Classified (HNOC)

May be harmful if swallowed

Signal Word

Danger

Hazard Statements

Harmful if inhaled
May cause an allergic skin reaction
May cause cancer

Causes damage to organs through prolonged or repeated exposure





Revision Date: 13-Nov-2015

Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Use only outdoors or in a well-ventilated area

Contaminated work clothing must not be allowed out of the workplace

Wear protective gloves

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Precautionary Statements - Response

If exposed or concerned: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water

If skin irritation or rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a poison center or doctor/physician if you feel unwell

Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other Hazards

Harmful to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms SECA.

Chemical Name	CAS No	Weight-%
Zirconium Oxide	1314-23-4	65-85
Nickel Oxide	1313-99-1	1.8-18
Scandium Oxide	12060-08-1	0-9
Cerium Oxide	1306-38-3	0.3-9
Hafnium Oxide	12055-23-1	1.5-2
Aluminum Oxide	1344-28-1	0-1
Cobalt Oxide	1308-06-1	0.01-2
Yttrium Oxide	1314-36-9	0-13
Samarium Oxide	12060-58-1	0.1-0.4
Gadolinium (III) Oxide	12064-62-9	0.1-1

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

4. FIRST-AID MEASURES

First Aid Measures

General Advice Provide this SDS to medical personnel for treatment.

Eye Contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin Contact IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get

medical advice/attention. Wash contaminated clothing before reuse.

Revision Date: 13-Nov-2015

Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. Call a poison center or doctor/physician if you feel unwell.

Ingestion Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and effects

Symptoms Harmful if inhaled. May cause an allergic reaction. Causes damage to organs through

prolonged or repeated exposure.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Not determined.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal PrecautionsUse personal protective equipment as required.

Environmental Precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Obtain special

instructions before use. Do not handle until all safety precautions have been read and

Title of onight Electrode och Anode only

understood. Use personal protective equipment as required. Use only outdoors or in a well-ventilated area. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves. Do not breathe dust/fume/gas/mist/vapors/spray. Wash face, hands, and any exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product.

Revision Date: 13-Nov-2015

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed and store in a cool, dry and well-ventilated place. Store locked

up.

Incompatible MaterialsNone known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Zirconium Oxide	STEL: 10 mg/m ³ Zr	TWA: 5 mg/m ³ Zr	IDLH: 25 mg/m ³ Zr
1314-23-4	TWA: 5 mg/m ³ Zr	(vacated) TWA: 5 mg/m ³ Zr	TWA: 5 mg/m³ except Zirconium
		(vacated) STEL: 10 mg/m ³ Zr	tetrachloride Zr
			STEL: 10 mg/m³ Zr
Nickel Oxide	TWA: 0.2 mg/m ³ Ni inhalable	TWA: 1 mg/m³ Ni	IDLH: 10 mg/m ³ Ni
1313-99-1	fraction	(vacated) TWA: 1 mg/m ³ Ni	TWA: 0.015 mg/m ³ except Nickel
			carbonyl Ni
Hafnium Oxide	TWA: 0.5 mg/m ³ Hf	-	IDLH: 50 mg/m ³ Hf
12055-23-1			TWA: 0.5 mg/m ³ Hf
Aluminum Oxide	TWA: 1 mg/m ³ respirable fraction		-
1344-28-1		TWA: 5 mg/m ³ respirable fraction	
		(vacated) TWA: 10 mg/m³ total	
		dust	
		(vacated) TWA: 5 mg/m ³	
		respirable fraction	
Cobalt Oxide	TWA: 0.02 mg/m ³ Co	-	-
1308-06-1			
Yttrium Oxide	TWA: 1 mg/m ³ Y	-	IDLH: 500 mg/m ³ Y
1314-36-9			TWA: 1 mg/m ³ Y

Appropriate engineering controls

Engineering Controls Apply technical measures to comply with the occupational exposure limits.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Refer to 29 CFR 1910.133 for eye and face protection regulations.

Skin and Body Protection Refer to 29 CFR 1910.138 for appropriate skin and body protection.

Respiratory Protection Refer to 29 CFR 1910.134 for respiratory protection requirements.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Solid

AppearanceAccording to product specificationOdorNot determinedColorNot determinedOdor ThresholdNot determined

Remarks • Method

Revision Date: 13-Nov-2015

Not determined **Melting Point/Freezing Point** Not determined **Boiling Point/Boiling Range** Not determined Flash Point Not determined **Evaporation Rate** Not determined Flammability (Solid, Gas) Not determined **Upper Flammability Limits** Not determined **Lower Flammability Limit** Not determined **Vapor Pressure** Not determined Vapor Density Not determined **Specific Gravity** Not determined **Water Solubility** Not determined Solubility in other solvents Not determined **Partition Coefficient** Not determined **Auto-ignition Temperature** Not determined

Values

Not determined

Not determined

Not determined

Not determined

Not determined

10. STABILITY AND REACTIVITY

Reactivity

Property

Not reactive under normal conditions.

Decomposition Temperature

Kinematic Viscosity

Explosive Properties

Oxidizing Properties

Dynamic Viscosity

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to Avoid

Keep out of reach of children.

Incompatible Materials

None known based on information supplied.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact Avoid contact with eyes.

Skin Contact May cause an allergic skin reaction.

Inhalation Harmful if inhaled.

Ingestion May be harmful if swallowed.

Component Information

Chemical Name		Oral LD50	Dermal LD50	Inhalation LC50
	Nickel Oxide 1313-99-1	> 5000 mg/kg (Rat)	-	-
	Cerium Oxide	> 1000 mg/kg (Rat)	> 2000 mg/kg (Rat)	> 2.01 mg/L (Rat) 4 h

1306-38-3			
Aluminum Oxide 1344-28-1	> 5000 mg/kg (Rat)	-	-
Cobalt Oxide 1308-06-1	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rat)	> 4.83 mg/L (Rat)4 h
Samarium Oxide 12060-58-1	> 5 g/kg (Rat)	-	-
Gadolinium (III) Oxide 12064-62-9	> 5 g/kg (Rat)	-	-

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity The

The table below indicates whether each agency has listed any ingredient as a carcinogen. However, the product as a whole has not been tested.

Revision Date: 13-Nov-2015

Chemical Name	ACGIH	IARC	NTP	OSHA
Nickel Oxide 1313-99-1	A1	Group 1	Known	X
Cobalt Oxide 1308-06-1	A3	Group 2B		X

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A1 - Known Human Carcinogen

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Nickel Oxide	127.3: 72 h	100: 96 h Brachydanio rerio		100: 48 h Daphnia magna
1313-99-1	Pseudokirchneriella	mg/L LC50 static		mg/L EC50
	subcapitata mg/L EC50	•		•
Cobalt Oxide	88: 72 h Pseudokirchneriella	136: 96 h Brachydanio rerio		136: 48 h Daphnia magna
1308-06-1	subcapitata mg/L EC50	mg/L LC50 static		mg/L EC50

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Not determined

Revision Date: 13-Nov-2015

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Cobalt Oxide	Toxic
1308-06-1	

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT Not regulated

IATA Not regulated

IMDG

Marine Pollutant This material may meet the definition of a marine pollutant

15. REGULATORY INFORMATION

International Inventories

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Zirconium Oxide	Present	Х		Present		Present	Χ	Present	Х	Χ
Nickel Oxide	Present	Х		Present		Present	Х	Present	Х	Х
Scandium Oxide	Present	Х		Present			Х	Present		Х
Cerium Oxide	Present	Х		Present		Present	Х	Present	Х	Х
Hafnium Oxide	Present	Х		Present		Present	Х	Present		
Aluminum Oxide	Present	Х		Present		Present	Х	Present	Х	Х
Cobalt Oxide	Present	Х		Present		Present	Х	Present		Х
Yttrium Oxide	Present	Х		Present		Present	Х	Present	Х	Х
Samarium Oxide	Present	Х		Present		Present	Х	Present		Х
Gadolinium (III) Oxide	Present	Х		Present		Present	Х	Present	X	Х

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

Revision Date: 13-Nov-2015

US Federal Regulations

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Nickel Oxide - 1313-99-1	1313-99-1	10.8	0.1
Cobalt Oxide - 1308-06-1	1308-06-1	0.5	0.1

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Nickel Oxide		X		

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

This product contains the following reposition of chemicals:					
Chemical Name	California Proposition 65				
Nickel Oxide - 1313-99-1	Carcinogen				

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Nickel Oxide 1313-99-1	X	X	X
Aluminum Oxide 1344-28-1	X	X	X
Cobalt Oxide 1308-06-1	Х		X

one chiga Licence con threat chi,

16. OTHER INFORMATION

NFPA Health Hazards

Not determined
Health Hazards
Not determined

Flammability
Not determined
Flammability
Not determined

Instability
Not determined
Physical Hazards
Not determined

Special Hazards
Not determined
Personal Protection
Not determined

Revision Date: 13-Nov-2015

Issue Date:11-Nov-2015Revision Date:13-Nov-2015Revision Note:New format

Disclaimer

HMIS

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet