Safety Data Sheet

Version 1

Issue Date: 14-Sep-2016 Revision Date: 16-Sep-2016 **1. IDENTIFICATION** Product Identifier **Product Name** LSMYSZ Ink Other means of identification SDS # NT-018 Synonyms LSMYSZ; Lanthanum Strontium Manganite-Yttria Stabilized Zirconia. Recommended use of the chemical and restrictions on use **Recommended Use** Laboratory chemicals and Manufacture of substances. Details of the supplier of the safety data sheet Supplier Address Nexceris, LLC 404 Enterprise Dr. Lewis Center, OH 43035 www.nexceris.com Emergency Telephone Number **Company Phone Number** Non-emergency calls/questions: 1-614-842-6606 Fax: 1-614-842-6607 **Emergency Telephone (24 hr)** INFOTRAC 1-352-323-3500 (International) 1-800-535-5053 (North America) 2. HAZARDS IDENTIFICATION Physical state Liquid Appearance Gray liquid Classification Serious eye damage/eye irritation Skin sensitization Category 2 Category 1 Hazards Not Otherwise Classified (HNOC) Causes mild skin irritation

Signal Word Warning

Hazard statements

Causes serious eye irritation May cause an allergic skin reaction



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing must not be allowed out of the workplace Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other hazards

Harmful to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms

LSMYSZ; Lanthanum Strontium Manganite-Yttria Stabilized Zirconia.

Chemical Name	CAS No.	Weight-%
Zirconium Oxide	1314-23-4	20-37
Manganese oxide	1317-35-7	7-25
Urea RPW formaldehyde, butylated	68002-19-7	2-9
Yttrium Oxide	1314-36-9	3-6
n-Butyl Alcohol	71-36-3	1-2
pin-2(3)-ene	80-56-8	0-1
Hafnium Oxide	12055-23-1	0-1
Dipentene	138-86-3	0-1

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES			
First Aid Measures			
General Advice	If exposed or concerned: Get medical advice/attention.		
Eye Contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.		
Skin Contact	IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Remove and wash contaminated clothing before reuse.		
Inhalation	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Seek medical attention for further treatment.		
Ingestion	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. If conscious give 2 glasses of water to dilute. Seek medical attention if symptoms develop.		

Most important symptoms and effects

Symptoms Causes mild skin irritation. Causes serious eye irritation. May cause an allergic skin reaction.

Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Product is not flammable or combustible.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES Personal precautions, protective equipment and emergency procedures_ Personal Precautions Use personal protective equipment as required. Environmental precautions Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information. See Section 13: DISPOSAL CONSIDERATIONS. Methods and material for containment and cleaning up Prevent further leakage or spillage if safe to do so. Soak up and contain spill with an absorbent material. Methods for Clean-Up Sweep up and shovel into suitable containers for disposal. 7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Wash face, hands and any exposed skin thoroughly after handling. Avoid breathing dust/fume/gas/mist/vapors/spray. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing and eye/face protection. Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed and store in a cool, dry and well-ventilated place.

Incompatible Materials Strong oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Zirconium Oxide	STEL: 10 mg/m ³ Zr	TWA: 5 mg/m ³ Zr	IDLH: 25 mg/m ³ Zr
1314-23-4	TWA: 5 mg/m ³ Zr	(vacated) TWA: 5 mg/m ³ Zr	TWA: 5 mg/m ³ except Zirconium
		(vacated) STEL: 10 mg/m ³ Zr	tetrachloride Zr
			STEL: 10 mg/m ³ Zr
Manganese oxide	TWA: 0.02 mg/m ³ Mn respirable	(vacated) TWA: 1 mg/m ³ Mn	IDLH: 500 mg/m ³ Mn
1317-35-7	particulate matter	(vacated) Ceiling: 5 mg/m ³	TWA: 1 mg/m ³ Mn
	TWA: 0.1 mg/m ³ Mn inhalable	Ceiling: 5 mg/m ³ Mn	STEL: 3 mg/m ³ Mn
	particulate matter		
Yttrium Oxide	TWA: 1 mg/m ³ Y	-	IDLH: 500 mg/m ³ Y
1314-36-9			TWA: 1 mg/m ³ Y
n-Butyl Alcohol	TWA: 20 ppm	TWA: 100 ppm	IDLH: 1400 ppm
71-36-3		TWA: 300 mg/m ³	Ceiling: 50 ppm
		(vacated) S*	Ceiling: 150 mg/m ³
		(vacated) Ceiling: 50 ppm	
		(vacated) Ceiling: 150 mg/m ³	
pin-2(3)-ene	TWA: 20 ppm	-	-
80-56-8			
Hafnium Oxide	TWA: 0.5 mg/m ³ Hf	-	IDLH: 50 mg/m ³ Hf
12055-23-1			TWA: 0.5 mg/m ³ Hf

Appropriate engineering controls

Engineering Controls	Apply technical measures to comply with the occupational exposure limits. Showers
	Eyewash stations
	Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/Face Protection	Chemical splash goggles. Refer to 29 CFR 1910.133 for eye and face protection regulations.
Skin and Body Protection	Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact. Refer to 29 CFR 1910.138 for appropriate skin and body protection.
Respiratory Protection	If necessary, wear a MSHA/NIOSH-approved respirator. Refer to 29 CFR 1910.134 for respiratory protection requirements.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Gray liquid
Color	Gray
Property_	Values
pH	Not determined
Melting Point/Freezing Point	Not determined
Boiling Point/Boiling Range	Not determined
Flash Point	Not determined
Evaporation Rate	Not determined

Odor Odor Threshold Not determined Not determined

Remarks • Method

Flammability (Solid, Gas) Flammability Limits in Air **Upper Flammability Limits** Lower Flammability Limit Vapor Pressure Vapor Density **Relative Density** Water Solubility Solubility in other solvents **Partition Coefficient Auto-ignition Temperature Decomposition Temperature** Kinematic Viscosity Dynamic Viscosity **Explosive Properties Oxidizing Properties**

Not determined Not determined

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to Avoid

Keep out of reach of children. See Sec. 7 Handling & Storage.

Incompatible Materials

Strong oxidizing agents.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Eye Contact	Causes serious eye irritation.
Skin Contact	Causes mild skin irritation. May cause an allergic skin reaction.
Inhalation	Do not inhale.
Ingestion	Do not ingest.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Lanthanum oxide 1312-81-8	> 8500 mg/kg (Rat)	-	-
Terpineol 98-55-5	= 5170 mg/kg(Rat)	-	-
1-Methyl-4-(1-methylethylidene)- cyclohexene 586-62-9	= 4390 mg/kg (Rat)	_	-
n-Butyl Alcohol 71-36-3	= 790 mg/kg (Rat)= 700 mg/kg (Rat)	= 3402 mg/kg (Rabbit)= 3400 mg/kg (Rabbit)	> 8000 ppm (Rat)4 h
pin-2(3)-ene 80-56-8	= 3700 mg/kg (Rat)	> 5000 mg/kg(Rat)	-
Dipentene 138-86-3	= 5300 mg/kg(Rat)	-	-

Information on physical, chemical and toxicological effects

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	May cause an allergic skin reaction.	
Carcinogenicity	Based on the information provided, this product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.	

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Crustacea
n-Butyl Alcohol	500: 72 h Desmodesmus	100000 - 500000: 96 h Lepomis	1897 - 2072: 48 h Daphnia magna
71-36-3	subspicatus mg/L EC50 500: 96 h	macrochirus µg/L LC50 static 1730 -	mg/L EC50 Static 1983: 48 h
	Desmodesmus subspicatus mg/L	1910: 96 h Pimephales promelas	Daphnia magna mg/L EC50
	EC50	mg/L LC50 static 1740: 96 h	
		Pimephales promelas mg/L LC50	
		flow-through 1910000: 96 h	
		Pimephales promelas µg/L LC50	
		static	
pin-2(3)-ene		0.28: 96 h Pimephales promelas	41: 48 h Daphnia magna mg/L LC50
80-56-8		mg/L LC50 static	

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Chemical Name	Partition Coefficient
n-Butyl Alcohol 71-36-3	0.785
pin-2(3)-ene 80-56-8	4.1

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.

US EPA Waste Number

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
n-Butyl Alcohol		Included in waste stream:		U031
71-36-3		F039		

California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
n-Butyl Alcohol	Toxic
71-36-3	

14. TRANSPORT INFORMATION

<u>Note</u>	Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.
<u>DOT</u>	Not regulated
IATA_	Not regulated
IMDG_	Not regulated

15. REGULATORY INFORMATION

International Inventories

Chemical Name	TSCA	DSL/NDSL	EINECS/E LINCS	ENCS	IECSC	KECL	PICCS	AICS
Lanthanum oxide	Х	Х	Х	Present	Х	Present	Х	Х
Zirconium Oxide	Х	Х	Х	Present	Х	Present	Х	Х
Manganese oxide	Х	Х	Х	Present	Х	Present	Х	Х
Terpineol	Х	Х	Х	Present	Х	Present	Х	Х
1-Methyl-4-(1- methylethylidene)- cyclohexene	Х	X	Х	Present	Х	Present	х	Х
Urea RPW formaldehyde, butylated	Х	Х		Present	Х	Present	Х	Х
Strontium oxide	Х	Х	Х	Present	Х	Present		Х
Yttrium Oxide	Х	Х	Х	Present	Х	Present	Х	Х
n-Butyl Alcohol	Х	Х	Х	Present	Х	Present	Х	Х
pin-2(3)-ene	Х	Х	Х	Present	Х	Present	Х	Х
Hafnium Oxide	Х	Х	Х	Present	Х	Present		
Dipentene	Х	Х	Х	Present	Х	Present	Х	Х

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

CERCLA

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
n-Butyl Alcohol	5000 lb		RQ 5000 lb final RQ
71-36-3			RQ 2270 kg final RQ

<u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No.	Weight-%	SARA 313 - Threshold Values %
Manganese oxide - 1317-35-7	1317-35-7	7-25	1.0
n-Butyl Alcohol - 71-36-3	71-36-3	1-2	1.0

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Manganese oxide 1317-35-7	Х	Х	Х
1-Methyl-4-(1-methylethylidene)- cyclohexene 586-62-9	Х		
n-Butyl Alcohol 71-36-3	Х	X	Х
pin-2(3)-ene 80-56-8	Х	X	Х
Dipentene 138-86-3	Х		

16. OTHER INFORMATION

<u>NFPA</u> HMIS	Health Hazards Not determined Health Hazards Not determined	Flammability Not determined Flammability Not determined	Instability Not determined Physical hazards Not determined	Special Hazards Not determined Personal Protection Not determined
Issue Date: Revision Date: Revision Note:	14-Sep-2016 16-Sep-2016 New format			

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet